

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/015,701	12/17/2001	Kyeong Jin Kim	8733.479.00	6382	
30827 75	590 07/13/2005		EXAM	EXAMINER	
MCKENNA LONG & ALDRIDGE LLP			RUDE, TIMOTHY L		
1900 K STREE WASHINGTO	•		ART UNIT	PAPER NUMBER	
			2883		

DATE MAILED: 07/13/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

				AV			
		Application No.	Applicant(s)				
		10/015,701	KIM, KYEONG JIN				
•	Office Action Summary	Examiner	Art Unit				
		Timothy L. Rude	2883				
<i>Ti</i> Period for R	ne MAILING DATE of this communication ap eply	pears on the cover sheet with th	e correspondence address				
THE MAII - Extensions after SIX (i - If the perio - If NO perio - Failure to a Any reply r	TENED STATUTORY PERIOD FOR REPL LING DATE OF THIS COMMUNICATION. of time may be available under the provisions of 37 CFR 1.15 MONTHS from the mailing date of this communication. d for reply specified above is less than thirty (30) days, a repl d for reply is specified above, the maximum statutory period reply within the set or extended period for reply will, by statute eceived by the Office later than three months after the mailin ent term adjustment. See 37 CFR 1.704(b).	I36(a). In no event, however, may a reply by within the statutory minimum of thirty (30) will apply and will expire SIX (6) MONTHS a, cause the application to become ABAND	ne timely filed I days will be considered timely. I from the mailing date of this communicati ONED (35 U.S.C. § 133).	on.			
Status							
1)⊠ Res	sponsive to communication(s) filed on <u>25 A</u>	<u>pril 2005</u> .					
2a)⊠ Thi	s action is FINAL. 2b)☐ This	s action is non-final.					
·—							
clos	sed in accordance with the practice under I	Ex parte Quayle, 1935 C.D. 11	, 453 O.G. 213.				
Disposition (of Claims						
4)⊠ Cla	im(s) <u>1,2,4-9 and 11-29</u> is/are pending in tl	he application.					
4a)	Of the above claim(s) <u>6,8,16 and 21-28</u> is/s	are withdrawn from considerat	ion.				
5) <u></u> Cla	im(s) is/are allowed.						
-	im(s) <u>1,2,4,5,7,9,11-15,17-20 and 29</u> is/are	e rejected.	•				
	im(s) is/are objected to.						
8)∐ Cla	im(s) are subject to restriction and/c	or election requirement.					
Application I	Papers						
9)⊠ The	specification is objected to by the Examine	er.					
10)□ The	drawing(s) filed on is/are: a) acc	epted or b) objected to by the	ne Examiner.	•			
	licant may not request that any objection to the						
`	lacement drawing sheet(s) including the correc		•	(d).			
11)∐ The	oath or declaration is objected to by the Ex	xaminer. Note the attached Off	ice Action or form PTO-152.				
Priority unde	er 35 U.S.C. § 119						
a)□ A	nowledgment is made of a claim for foreign b) Some * c) None of: Certified copies of the priority document		∂(a)-(d) or (f).				
	Certified copies of the priority document		cation No				
	Copies of the certified copies of the prio						
	application from the International Burea	u (PCT Rule 17.2(a)).					
* See t	he attached detailed Office action for a list	of the certified copies not rece	eived.				
Attachment(s)							
_	References Cited (PTO-892)	4) Interview Summ	uary (PTO-413)	•			
2) 🔲 Notice of D	Oraftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Ma					
	n Disclosure Statement(s) (PTO-1449 or PTO/SB/08) s)/Mail Date	6) Other:	ai Fatent Application (PTO-152)				

U.S. Patent and Trademark Office PTOL-326 (Rev. 1-04)

DETAILED ACTION

Claims and Claim Objections

1. Claims 1 and 5 are amended. Claim 3 is canceled. Claim 29 is added. Objections to claims 1, 5, 11, and 20 are withdrawn.

Claim 29 is objected to because of the following informalities: "dropping liquid crystal on a surface" is either considered not further limiting or it is considered not supported by the Application as originally filed. For examination purposes, dropping liquid crystal on a surface will be considered met by any method of depositing or dispensing liquid crystal on a surface (as opposed to injected through a hole in the sealant).

Appropriate correction is required.

Specification

2. The disclosure is objected to because of the following informalities: Specification paragraph [0021] states "a step difference between the dielectric frame and the sealant is obtained so that the dielectric frame does not hinder the liquid crystal from being injected. Also, the liquid crystal is formed not by a vacuum injection method but by a dispensing method which does not require a liquid crystal injection hole."

Please note that this is contradictory. If injection is not used, the step difference cannot facilitate injection. Examiner considers the recitation to refer to the step

difference being sufficient to allow liquid crystal movement during switching (during normal operation of the display).

Appropriate correction is required.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1, 2, 4, 5, 7, 9, 12-14, and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Oh et al (Oh) USPAT 6,130,729 in view of Liu et al (Liu) USPAT 6,573,965 B1 and further in view of Von Gutfeld et al (Von Gutfeld) USPAT 6,055,035.

As to claims 1, 7, and 29, Ohe discloses (Abstract and entire patent) a method of forming a liquid crystal display device comprising: forming an L-shaped thin film transistor (Figure 3A, col. 6, lines 32-37) and a pixel electrode, 39, on a first substrate.




FIG. 3B

37 36

40 33 35-2
39
35-2
35-1
32-2 32-1 38
30

32

Application/Control Number: 10/015,701 Page 5


Art Unit: 2883

Ohe does not explicitly disclose forming a dielectric frame having a first height and a sealant having a second height on a second substrate, the first height of the dielectric frame being different from the second height of the sealant; dispensing liquid crystal on the first substrate; and attaching the first and second substrates to each other.

Liu teaches (Abstract and entire patent) forming bumps, 311 and 409 (Applicant's dielectric frame) on both substrates (Figure 5, col. 5, lines 45-57, and col. 5, lines 35-44) having a first height and a sealant having a second height (not shown) such that the sealant is taller than the dielectric frame as is evidenced by the gap between the dielectric frames and the opposed substrate (Figure 5) to comprise a multi-domain display with wide viewing angle (col. 2, lines 36-46).

Application/Control Number: 10/015,701


Art Unit: 2883



Von Gutfeld teaches uniformly dispensing liquid crystal on discrete areas (pixel areas and non-pixel/non-display areas) of the first substrate (Abstract and entire patent); and attaching the first and second substrates to each other to provide a simplified and more efficient method for filling an unassembled LCD panel that is less costly (col. 2, lines 25-34).

Application/Control Number: 10/015,701

Art Unit: 2883



Liu is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to add a dielectric frame on both substrates having a first height and a sealant having a second height such that the sealant is taller than the dielectric frame to comprise a multi-domain display with wide viewing angle.

Von Gutfeld is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to dispense liquid crystal on the first substrate; and attach the first and second substrates to each other to provide a simplified and more efficient method for filling an unassembled LCD panel that is less costly.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Oh with the dielectric frame on both substrates having a first height and a sealant having a second height such that the sealant is taller than the dielectric frame of Liu to comprise a multi-domain display with wide viewing angle and to dispense liquid crystal on the first

substrate; and attach the first and second substrates to each other per Von Gutfeld to provide a simplified and more efficient method for filling an unassembled LCD panel that is less costly.

Please note that recently added limitations of: wherein the dispensed liquid crystal moves and is uniformly distributed on the first substrate are considered met by any known LCD method of manufacture, since the liquid crystal is liquid and it does ultimately move to become a uniform layer between to substantially parallel substrates. Please also note that Applicant's specification does not support the step of movement of the liquid crystal subsequent to dispensing and prior to mating the substrates.


As to claim 2, Von Gutfeld, as combined above, teaches that the sealant includes a material hardened by ultraviolet ray (col. 4, lines 1-4).

As to claim 4 Liu, as combined above, teaches a method further comprising forming electric field inducing slits, 302 and 303 (Applicant's windows), in the pixel electrode, 306~308.

Application/Control Number: 10/015,701 Page 9

Art Unit: 2883


As to claim 5, Liu, as combined above, teaches in Figure 2 a method wherein the electric field inducing window has a slit shape.



Application/Control Number: 10/015,701

Art Unit: 2883

As to claim 9, Liu, as combined above, teaches Prior Art in Figure 1 that shows dielectric frames drive the liquid crystal in various directions.



As to claim 12, Oh, as combined above, discloses a method further comprising forming a common electrode on the second substrate (required element, not shown).

As to claim 13, Liu, as combined above, teaches a method wherein the dielectric frame, 409, is formed on the common electrode, 403 (Figure 5).

As to claim 14, Liu, as combined above, teaches a method further comprising forming an alignment layer, 313 and 407, on the first and second substrates (Figure 5).

4. Claims 11 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Oh, Liu, and Von Gutfeld, as applied to claims above, in view of Kishimoto et al (Kishimoto) USPAT 6,515,718 B1.

As to claims 11 and 20, Oh, Liu, and Von Gutfeld disclose the method above.

Oh, Liu, and Von Gutfeld do not explicitly disclose specific heights of dielectric structures with respect to seal heights wherein a height difference between the sealant and the dielectric frame is more than 1 µm or wherein the first height is a range of 1-2 µm and the second height is in a range of 5-8 µm.

Please note the motivations for establishing cell gap (and correspondingly seal height) were well known in the art at the time the claimed invention was made and include optimization of voltage required, retarder value of liquid crystal layer, and control of liquid crystal mode or configuration.

Kishimoto discloses the motivation to optimize the height of a dielectric structure is to account for the relative dielectric constants of the respective components (col. 18, lines 21-23). In other words, the height is made sufficient to achieve the desired dielectric effect given the relative dielectric strength of the material used.

Kishimoto is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to optimize the results effective variables of relative dielectric frame height and seal height to achieve the desired dielectric effect given the relative dielectric strength of the material used.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Oh, Liu, and Von Gutfeld with the specific heights of dielectric structures with respect to seal heights wherein a height difference between the sealant and the dielectric frame is more than 1 µm or wherein the first height is a range of 1-2 µm and the second height is in a range of 5-8 µm of Kishimoto to achieve the desired dielectric effect given the relative dielectric strength of the material used (MPEP 2144.05, II, B).

5. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Oh, Liu, and Von Gutfeld, as applied to claims above, in view of Tanaka et al (Tanaka) USPAT 6,603,528 B1.

As to claim 15, Oh, Liu, and Von Gutfeld disclose the method of claim 14.

Oh, Liu, and Von Gutfeld do not explicitly disclose a method wherein the alignment layer is selected from the group consisting of polyimide, polyamide, polyvinyl alcohol, polyamic acid, and silicon oxide.

Tanaka teaches the use of polyimide as an art recognized material suitable for the intended purpose of forming an alignment film for liquid crystal displays (col. 9, lines 5-21).

Tanaka is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to use polyimide as an art recognized material suitable for the intended purpose of forming an alignment film for liquid crystal displays.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Oh, Liu, and Von Gutfeld with the polyimide alignment layer of Tanaka as an art recognized material suitable for the intended purpose of forming an alignment film for liquid crystal displays (MPEP 2144.07).

6. Claims 17-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Oh, Liu, and Von Gutfeld, as applied to claims above, in view of Kim et al (Kim) USPAT 6,100,953.

As to claims 17-19, Oh, Liu, and Von Gutfeld disclose the method of claim 14.

Oh, Liu, and Von Gutfeld do not explicitly disclose a method comprising formation of a phase difference film, negative uniaxial, or negative biaxial.

Kim teaches the use of negative uniaxial and negative biaxial phase compensation films (Applicant's phase difference films) as suitable means of improving viewing angle performance (col. 5, line 66, through col. 6, line 12).

Kim is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to add negative uniaxial and negative biaxial phase difference films as suitable means of improving viewing angle performance.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Oh, Liu, and Von Gutfeld with the negative uniaxial and negative biaxial phase difference films of Kim as suitable means of improving viewing angle performance.

Response to Arguments

7. Applicant's arguments filed on 25 April 2005 have been fully considered but they are not persuasive. Applicant's arguments with respect to base claim 1 have been considered but are most in view of the new ground(s) of rejection.

Applicant's ONLY arguments are as follows:

Dependent claims are allowable because the independent claim is allowable.

Examiner's responses to Applicant's ONLY arguments are as follows:

In so far as Applicant has not argued rationale for rejection of the dependent claims Applicant has thereby acquiesced.

Conclusion

Applicant's amendment necessitated any new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy L. Rude whose telephone number is (571) 272-2301. The examiner can normally be reached on Monday through Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank Font can be reached on (571) 272-2415. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Timothy L Rude Examiner Art Unit 2883

tlr

Frank G. Font
Supervisory Patent Examiner
Technology Center 2800